



CLADIATOR®

Built to Conquer New Challenges

Slotted-Z®

Thermally Isolated Z-Girt.

Simple.

Secure.

Slotted.



www.cladiator.com

1-800-917-6237




SLOTTED-Z®


Z-Girt with Insulation Securement



Made from durable **Fiber-Reinforced Polymer** for **improved thermal performance** in **vertical and horizontal** installation



Compatible with **all cladding materials**. Use **ROCKETStick®** and securement slots to **secure insulation without disrupting** the weather resistive barrier



Optimized air and moisture ventilation, **minimizing the threat of water damage, rot, and mold**

ROCKETStick®

Secure Insulation in One Shot.




Insulation securement that **reduces penetrations to weather resistive barrier layer**




Features 2 rows of slots to **accommodate insulation depth and airflow**



Streamlined “**peg and slot**” insertion for fast, damage-free installation





Rainscreen Principles

Creating Greater Moisture Management



Thermal break provided by thermally efficient **fiber reinforced polymer material**




Slots promote proper air and moisture ventilation, **reducing risk of condensation, mold, and rot**



Seamless installation and **peg and slot ROCKETStick** insertion reduces punctures to WRB, **prolonging the life of the envelope**





Secure insulation with the **ROCKETStick** and create a **continuously isolated building**



Sizes and Thermal Performance


Choosing the Right Profile to Match Design Requirements*



Available in 1.5" through 6" sizes,
increasing in ½" increments



High thermal performance (**98% thermal efficiency****) achieved with
accommodation of up to 6" of insulation




*Tested in accordance with ASTM E283, E331, E330, E84, NFPA 285, and CAN/ULC-S134


**Provided by Morrison Hershfield. For more information visit Cladiator.com.

SLOTTED-Z® Projects

625 Fulton Street, Brooklyn, New York – 250,000 sqft – Fischer Rasmussen Whitefield Architects





Lewis Cassidy Public Schools - Philadelphia, Pennsylvania – 7,500 sqft - EwingCole






SLOTTED-Z® Projects

4650 Broadway, New York, New York – 8,000 sqft – Handel Architects




69 Adams Street, Brooklyn, New York – 40,000 sqft – Fischer Rasmussen Whitefield Architects



SLOTTED-Z® Projects

Evergreen Charter School – Long Island, New York – 30,000 sqft – Martin Hopp Architecture



Carmalt PreK-8 – Pittsburgh, Pennsylvania – 38,000 sqft – Moshier Studio





CLADIATOR®

Built to Conquer New Challenges



- Thermally Isolated Cladding Support Systems
- Improved Thermal Efficiencies
- Smart Building Design and Construction
- Rainscreen Principles and Durable Globally Responsible Materials




For Architects & Engineers

Simple and robust solution that offers limitless creativity



For Installers

Intuitive components offering faster and more cost-effective options



Slotted-Z
Patented product

Slotted-Z Sustainability Insights

